

EVERLUBE[®] PRODUCTS
SAFETY DATA SHEET

EVERLUBE 9500 BLACK
Page 1 of 7

1. IDENTIFICATION:

PRODUCT NAME: EVERLUBE 9500 BLACK
PRODUCT CODE: PEV9500BK (SCRATCH)
PRODUCT USE : Low Friction Coating

HMIS CODES H F R P
2*0 0 B

Manufacturer:

EVERLUBE PRODUCTS
100 COOPER CIRCLE
PEACHTREE CITY, GA 30269

EMERGENCY PHONE (24 hours): CHEMTREC - 800-424-9300
INFORMATION PHONE (8:00 a.m - 5:00 p.m EST): (770) 261-4800
NAME OF PREPARER: CHEMICAL COMMUNICATIONS COORDINATOR
DATE PREPARED: 1/22/2020

2. HAZARDS IDENTIFICATION



CLASSIFICATION:

Acute Toxicity, Dermal - Category 4
Acute Toxicity, Inhalation - Category 3
Acute Toxicity, Oral - Category 4
Carcinogenicity - Category 1
Serious Eye Damage - Category 1
Germ Cell Mutagenicity - Category 2
Skin Corrosion/Irritation - Category 2
Respiratory/Skin Sensitization - Category 1
Specific target organ toxicity, single exposure - Category 1

SIGNAL WORD:

DANGER

HAZARDS STATEMENTS:

H302-Harmful if swallowed
H312-Harmful in contact with skin.
H317-May cause an allergic skin reaction
H318-Causes serious eye damage.
H331-Toxic if inhaled
H335-May cause respiratory irritation
H341-Suspected of causing genetic defects
H350-May cause cancer
H370-Causes damage to organs

Precautionary Statements:

P281-Use personal protective equipment as required.
P404-Store in closed container
P501-Dispose of contents/container in accordance with local/regional/national/regulation.

SAFETY DATA SHEET

3. COMPOSITION/INFORMATION ON INGREDIENTS

	CAS#	% BY WT.
EPOXY RESIN	25068-38-6	10% - 15%
LD50 ORAL RAT 11,400 mg/kg		
LD50 DERMAL RAT 2,000 mg/kg		
LC50 FISH 1.3 mg/l 96h		
EC50 DAPHNIA 2.1 mg/l 48h		
NOEC DAPHNIA 0.3 mg/l 21d		
LC50 ALGAE 11 mg/l 72h		
CARBON BLACK	1333-86-4	0% - 5%
ACGIH-TLV: 3.0 mg/m3 TWA (INHALABLE)		
OSHA-PEL: 3.5 mg/m3 TWA		
LD50 ORAL: >8000 mg/kg (Rat)		
LC50 FISH >1,000 mg/l 96hr		
EC50 DAPHNIA >5,600 mg/l 24 hr		
EC50 ALGAE >10,000 mg/l 72 hr		
ISOBUTYL ALCOHOL	78-83-1	0% - 5%
OSHA PEL: 100 PPM		
ACGIH (TLV): 50 PPM (TWA)		
LD50 ORAL: 2460 mg/kg (rat)		
LD50 DERMAL - 3400 mg/kg (rabbit)		
LC10/4H INHALATION: 8000 ppm/4h (rat)		
DIMETHYL ETHANOLAMINE	108-01-0	0% - 5%
ORAL (LD50) 3100 mg/kg (MOUSE)		
ORAL (LD50): 2000 mg/kg (RAT)		
DERMAL (LD50): 1370 mg/kg (RABBIT)		
EC50 ALGAE 35 mg/l 72hr		
EC50 DAPHNIA 98.77 mg/l 48hr		
LC50 FISH 81 mg/l 96 HR		
FORMALDEHYDE	50-00-0	0% - 5%
ACGIH TLV: 03 ppm		
NIOSH REL: 0.016 ppm TWA		
OSHA PEL-STEL 2 ppm		
OSHA PEL-TWA 0.75 ppm		
LD50 ORAL: 100 mg/kr (rat)		
LD50 ORAL: 42 mg/kr (mouse)		
LD50 DERMAL: 270 ul/kr (rabbit)		
LC50 BLUEGILL 0.10 mg/l 96h		
LC50 MINNOW 24.1 mg/l 95hr		
EC50 PHOTOBACTERIUM 6.81 mg/l 25 min.		
LC50 INHALATION: 454 mg/m35h (mouse)		

4. First Aid Measures

Eyes:

With eyelids open, immediately flush eyes with lots of lukewarm water for at least 30 minutes. Get immediate medical assistance.

Skin:

Wash the skin thoroughly with plenty of water for at least 15 minutes, using a mild and non-abrasive soap. Cold water may be used.

Ingestion:

Never give anything by mouth if the victim is semi-conscious, unconscious, or convulsing.

Inhalation:

No adverse effects anticipated

5. Fire Fighting Measures

Flammable Properties:

Flash Point (Degree F): >200 F

Flash Point Method: cc

Explosive Limits:

Upper explosive limit: 11.9%

Lower explosive limit: 1.6%

Hazardous Combustion Products:

Carbon, Fluorine, or their compounds

Extinguishing Media:

Not Applicable

Firefighting Procedures:

Not Applicable

6. Accidental Release Measures

Small Spill:

Absorb spillage to prevent material damage

Large Spill:

Remove by mechanical means and place in containers.

Environmental Precautions:

US regulations require reporting spills of this material that could reach any surface waters. In Canada, report to the applicable provincial environment ministry.

7. Handling and Storage

Handling:

Wash skin thoroughly (with soap and water) after handling.

Storage:

Store in closed container

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

Mixture, see section 3

Engineering Controls:

Prevent the product or the wash waters from entering the water system or sewers.

Personal Protective Equipment:



Respiratory Protection:

None required under normal operating conditions

Skin Protection:

Wear protective gloves (eg Neoprene or Nitrile) for skin protection.

Eye Protection:

SAFETY DATA SHEET

Wear eye protection/face protection. Contact lenses should not be worn without goggles.

9. Physical and Chemical Properties

Flammability (solid, gas).....: Data not available
Boiling Point: 205F
Melting Point: Data not available
VOC.....: 359 grams/liter
Freezing Point: None known
Flash Point: >200 F
Vapor Pressure: Data not available
Vapor Density: Lighter than air.
Solubility in Water: Soluble
Density.....: 9.5 lb/gl
Evaporation Rate: Slower than n-Butyl Acetate.
Explosive Limits:
 Upper Explosive Limit: 11.9%
 Lower Explosive Limit: 1.6%
Specific Gravity: 1.1409
PH: None known
Volatile (% by Weight).....: 65%
Appearance and Odor: Black liquid, slight solvent odor
Odor Threshold: Not applicable
Viscosity: Not applicable
Partition Coefficient:.....: Data not available
Decomposition Temperature ...: Data not available
Autoignition temperature.....: Data not available

10. Stability and Reactivity

Chemical Stability (Conditions to Avoid):
 Stable under normal conditions.

Incompatibility:
 Oxidizers, Strong Acids or Alkalies.

Hazardous Decomposition Products:
 Irritating and/or toxic fumes including the following may be released:
 Carbon, Fluorine, or their compounds

Hazardous Polymerization:
 Will not occur.

11. Toxicological Information

Acute Toxicity Values:
 Mixture, see section 3 - Hazardous Ingredients

Germ Cell Mutagenicity:
 None known

Chronic/Carcinogenicity:
 IARC (International Agency for Research of Cancer):
 Group 1-Carcinogenic to humans

NTP (National Toxicology Program):
 Reasonably anticipated to be a human carcinogen

Reproductive Toxicity:

None known

STOT-single exposure:

May cause respiratory irritation

STOT-repeated exposure:

None known

Aspiration Hazard:

May be harmful if swallowed and enters airways

Routes of Exposure:

Skin contact, skin absorption, eye contact, inhalation

12. Ecological Information

Environmental Fate:

Do not allow product to enter storm or sanitary sewers, lakes, rivers, streams, or public waterways. Canadian and U.S. regulations require that environmental and/or other agencies be notified of a spill incident. The spill area must be cleaned and restored to the original condition or to the satisfaction of authorities.

Environmental Toxicity:

Data not available

Persistence and Degradability:

Data not available

Bioaccumulative Potential:

Data not available

Mobility in Soil

Data not available

Other Adverse Effects:

None known

13. Disposal Considerations

Disposal Methods:

Dispose of waste in a chemical landfill as approved by current local, state, and federal laws and regulations.

14. Transport Information

Domestic (Land, DOT), International (Water, IMO/IMDG), International (Air, ICAO) Road and Rail (ADR/RID), Air (ICAO/IATA), Vessel (IMO/IMDG):

UN Number:

Not regulated

UN Shipping Name:

Not Regulated

Transport Hazard Class:

Not Classified

Packing Group:

Not regulated

ENVIRONMENTAL HAZARDS:

Marine Pollutant:

None known

Special Precautions for User:

None known

15. Regulatory Information

U.S. Federal Regulations:

TSCA:

ALL COMPONENTS OF THIS PRODUCT ARE ON THE TSCA INVENTORY OR ARE
EXTINCT FROM REQUIREMENTS

CERCLA: SARA Hazard Category:

Section 313:

IF THIS MATERIAL HAS ANY COMPONENTS THAT ARE REPORTABLE UNDER SARA 313
THEY ARE SHOWN IN THE FOLLOWING LISTING. IF THE LISTING IS BLANK, THERE
ARE NO REPORTABLE COMPONENTS.

COMPONENT	CAS #	% BY WT.
CARBON BLACK	1333-86-4	0% - 5%

FRANK DODD SECTION 1502:

ALL COMPONENTS OF THIS PRODUCT COMPLY WITH TITLE 15 OF THE US CONSUMER
FINANCIAL PROTECTION ACT, DODD-FRANK ACT SECTION 1502 (CONFLICT
MINERALS ACT).

State Regulations:

California Prop 65:

This product contains a chemical known to the State of California to
cause cancer.

International Regulations:

WHMIS Classification:

Not Classified

CEPA (Canadian Environmental Protection Act)

ALL INGREDIENTS ARE CEPA APPROVED FOR IMPORT TO CANADA. THIS PRODUCT HAS
BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CONTROLLED
PRODUCTS REGULATION (CPR) AND THE MSDS CONTAINS ALL THE INFORMATION
REQUIRED BY THE CPR.

EINECS (European Inventory of Existing Chemical List)

ALL COMPONENTS OF THIS PRODUCT ARE INCLUDED ON THE EUROPEAN INVENTORY
OF EXISTING CHEMICALS LIST

16. Other Information

DATE OF PREPARATION: 1/22/2020

KEY/LEGEND:

ACGIH: American Conference of Governmental Industrial Hygienists

SAFETY DATA SHEET

ADR: International Carriage of Dangerous Goods by Road
RID: International Carriage of Dangerous Goods by Rail
CAS: Chemical Abstracts Service
CERCLA: Comprehensive Environmental Response, Compensation, & Liability Act
DOT: Department of Transportation
HMIS: Hazardous Materials Identification System
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
IDL: Immediately Dangerous to Life
IMDG: International Maritime Dangerous Goods
IMO: International Maritime Organization
LC: Lethal Concentration
LD: Lethal Dose
NIOSH: National Institute for Occupational Safety & Health
OSHA: Occupational Safety & Health Administration
PPM: Parts Per Million
REL: Recommended Exposure Limit
SARA: Superfund Amendments and Reauthorization Act
STEL: Short-term Exposure Limits
STOT: Specific Target Organ Toxicity
TLV: Threshold Limit Value
TSCA: Toxic Substances Control Act
TWA: Time Weighted Average
VOC: Volatile Organic Compounds
WHMIS: Workplace Hazardous Materials Information System

Manufacturer Disclaimer:

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION AND RECOMMENDATION CONTAINED HEREIN IS BELIEVED TO BE ACCURATE AT THE TIME OF PREPARATION OR OBTAINED FROM SOURCES BELIEVED TO BE RELIABLE. HOWEVER, IT IS THE USERS RESPONSIBILITY TO DETERMINE SAFETY, TOXICITY, AND SUITABILITY FOR HIS OWN USE OF THE PRODUCT. EVERLUBE PRODUCTS ASSUMES NO RESPONSIBILITY. THE CUSTOMER OR RECIPIENT OF THIS SDS SHOULD ENSURE THAT THE INFORMATION CONTAINED IN THIS SDS IS MADE AVAILABLE TO ALL EMPLOYEES OR OTHER PERSONS WHOM HE KNOWS OR BELIEVES WILL USE THIS MATERIAL

www.everlubeproducts.com