

#### 1. IDENTIFICATION:

PRODUCT NAME: KAL-GARD FA DILUTED HMIS CODES H F R P

PRODUCT CODE: PKGFAD 2\*3 0 G

PRODUCT USE.: Low Friction Coating

Manufacturer:

EVERLUBE PRODUCTS
100 COOPER CIRCLE
PEACHTREE CITY, GA 30269

EMERGENCY PHONE (24 hours): CHEMTREC - 800-424-9300

INFORMATION PHONE (8:00 a.m - 5:00 p.m EST): (770) 261-4800

NAME OF PREPARER: CHEMICAL COMMUNICATIONS COORDINATOR

DATE PREPARED: 1/21/2020

# 2. HAZARDS INDENTIFICATION



#### CLASSIFICATION:

Highly Flammable Liquid and Vapors - Category 2
Acute Toxicity, Dermal - Category 3
Acute Toxicity, Inhalation - Category 3
Acute Toxicity, Oral - Category 3
Carcinogenicity - Category 1
Serious Eye Irritation - Category 2
Reproductive Toxicity - Category 1
Skin Corrosion/Irritation - Category 2
Specific target organ toxicity, single exposure - Category 3

## SIGNAL WORD:

DANGER

#### HAZARDS STATEMENT:

H225-Highly flammable liquid and vapors

H301-Toxic if swallowed

H311-Toxic in contact with skin

H315-Causes skin irritation

H319-Causes serious eye irritation

H331-Toxic if inhaled

H336-May cause drowsiness or dizziness

H350-May cause cancer

H360-May damage fertility or the unborn child.

## PRECAUTIONARY STATEMENTS:

P202-Do not handle until all safety precautions have been read and understood.

P210-Keep away from heat/sparks/open flames/hot surfaces - No smoking

P242-Use only non-sparking tools.

P280-Wear protective gloves/eye protection/face protection.

P403-P233-Store in well-ventilated place. Keep container tightly closed.

P501-Dispose of contents/container in accordance with

local/regional/national/regulation.



| 3. COMPOSITION/INFORMATION ON INGREDIENTS      | CAS# %     | BY WT.    |  |
|--|------------|-----------|--|
| METHYL ETHYL KETONE                            | 78-93-3    | 40% - 45% |  |
| ACGIH TLV: 200 ppm                             |            |           |  |
| ACGIH STEL: 300 ppm                            |            |           |  |
| NIOSH REL: TWA 200 ppm                         |            |           |  |
| NIOSH REL: TWA 590 mg/m3                       |            |           |  |
| OSHA PO: TWA 200 ppm                           |            |           |  |
| OSHA PO: TWA 590 mg/m3                         |            |           |  |
| OSHA PO: STEL 300 ppm                          |            |           |  |
| OSHA PO STEL 885 mg/m3                         |            |           |  |
| EC50 ALGAE ?100 mg/l 96 hr                     |            |           |  |
| LD50 ORAL 3400.0 mg/kg (RATS)                  |            |           |  |
| DC50 VAPORS 2000 PPM (RATS)                    |            |           |  |
| LC50 FISH 100 mg/l 96 hr                       |            |           |  |
| EC50 DAPHNIA >100 mg/l 48 hr                   |            |           |  |
| ETHANOL  | 64-17-5    | 35% - 40% |  |
| OSHA PEL 1000.000 ppm TWA                      |            |           |  |
| NIOSH REL 1,000 ppm TWA                        |            |           |  |
| NIOSH REL 1,900 mg/m3                          |            |           |  |
| OSHA Z-1 1,000 ppm TWA                         |            |           |  |
| OSHA Z-1 1,900 mg/m3                           |            |           |  |
| ACGIH 1,000 ppm STEL                           |            |           |  |
| LD50 ORAL 7060 mg/kg (rat)                     |            |           |  |
| LC 50 INHALATION 124.7 mg/l (rat)              |            |           |  |
| LC50 FISH 15,300 mg/l 96h                      |            |           |  |
| EC50 DAPHNIA 5,012mg/l 48hr                    |            |           |  |
| EC50 ALGAE 275 mg/l 72 hr                      |            |           |  |
| ANTIMONY TRIOXIDE                              | 1309-64-4  | 0% - 5%   |  |
| ACGIH-TLV: 8 HR TWA-10 mg/m3, TOTAL            |            |           |  |
| ACGIH-TLV: 8 HR TWA-3 mg/3, RESPIRABLE         |            |           |  |
| OSHA-PEL: 8 HR TWA-15 mg/m3, TOTAL             |            |           |  |
| OSHA PEL: 8 HR TWA-5 mg/m3, RESPIRABLE         |            |           |  |
| LC50 INHALATION 4H RAT: >5.4 mg/l              |            |           |  |
| LD50 ORAL RAT: >5000 mg/kg                     |            |           |  |
| METHYL ALCOHOL                                 | 67-56-1    | 0% - 5%   |  |
| OSHA PEL 200.000 ppm-TWA                       |            |           |  |
| OSHA VPEL 200.000 ppm-TWA (Skin)               |            |           |  |
| OSHA VPEL 500.000 ppm-STEL (Skin)              |            |           |  |
| ACGIH TLV 200.000 ppm-TWA (Skin)               |            |           |  |
| ACHIH TLV 250.000 ppm-STEL (Skin)              |            |           |  |
| LC50 VAPORS 1600 ppm (rats)                    |            |           |  |
| LD50 ORAL 1000.0 mg/kg (man                    |            |           |  |
| EC50 ALGAE 22,000.0 mg/l 96h                   |            |           |  |
| FISH:Mortality LC50-Bluegill-15,400.0 mg/l-95h | L          |           |  |
| NOEC-Oryzias Latipes-7,900 mg/l-200h           |            |           |  |
| EC 50- Daphnia Magn ->10,000.00 MG/L-48h       |            |           |  |
| LEAD PHOSPHITE                                 | 12141-20-7 | 0% - 5%   |  |
| ACGIH TLV-TWA: 0.15 mg/m3 (8 hrs), as Pb       |            |           |  |
| BLV: 50 mmg/100g blood                         |            |           |  |
| OSHA PEL: 0.05 mg/m3, AS Pb                    |            |           |  |
| - 1  |            |           |  |

# 4. First Aid Measures

#### Eyes:

With eyelids open, immediately flush eyes with lots of lukewarm water for at least 30 minutes. Get immediate medical assistance.

# Skin:



Wash the skin thoroughly with plenty of water for at least 15 minutes, using a mild and non-abrasive soap. Cold water may be used.

## Ingestion:

Never give anything by mouth if the victim is semi-conscious, unconscious, or convulsing.

#### Inhalation:

Evacuate to fresh air and administer artificial respiration if breathing stopped. Obtain medical aid.

## 5. Fire Fighting Measures

## Flammable Properties:

Flash Point (Degree F) .....: 16F Flash Point Method ..... TCC

Explosive Limits:

Upper explosive limit: 36.0 Lower explosive limit: 2.0

#### Hazardous Combustion Products:

Carbon, Hydrogen Sulfide, Sulfur oxide, Antimony, or their compounds

## Extinguishing Media:

CO2, foam, dry chemical or halon

## Firefighting Procedures:

Fire-Fighters should wear self-contained breathing apparatus and full protective equipment.

Extinguish all nearby sources of ignition.

In case of fire, toxic fumes of lead oxide may be emitted.

## 6. Accidental Release Measures

## Small Spill:

Eliminate all sources of ignition, provide ventilation, contain spill, and absorb with inert absorbent.

Wear appropriate breathing apparatus (if applicable) and protective clothing.

Use only non-sparking tools and equipment.

# Large Spill:

Remove by mechanical means and place in containers.

Use only non-sparking tools and equipment.

# Environmental Precautions:

Prevent product or wash waters from entering the water system or sewers.

US regulations require reporting spills of this material that could reach any surface waters. In Canada, report to the applicable provincial environment ministry.

# 7. Handling and Storage

#### Handling:



## SAFETY DATA SHEET

Avoid breathing dust/fume/gas/mist/vapors/spray.

Do not get in eyes, on skin, or on clothing.

Wash contaminated clothing thoroughly after handling.

Wash skin thoroughly (with soap and water) after handling.

#### Storage:

Store in a cool, dry well ventilated place, away from incompatible materials.

Store in a closed/sealed container.

# 8. Exposure Controls/Personal Protection

#### Airborne Exposure Limits:

Mixture, see section 3

## Engineering Controls:

General mechanical ventilation or local exhaust should be suitable to keep vapor concentrations below the threshold limit values.

Use explosion-proof electrical/ventilating/lighting equipment.

Prevent the product or the wash waters from entering the water system or sewers.

## Personal Protective Equipment:



## Respiratory Protection:

In case of inadequate ventilation, wear respirator protection. Use NIOSH/MSHA approved Cartridge Respirator or Mask to keep airborne mists and concentrations below the time weighted threshold limit values.

#### Skin Protection:

Wear protective gloves (eg Neoprene or Nitrile) for skin protection.

#### Eye Protection:

Wear eye protection/face protection. Contact lenses should not be worn without goggles.

## 9. Physical and Chemical Properties

| Flammability (solid, gas): | Data not available |
|----------------------------|--------------------|
| Boiling Point:             | 148.5F             |
| Melting Point:             | Data not available |
| VOC:                       | 760 grams/liter    |
| Freezing Point:            | Data not available |
| Flash Point:               | 16F                |
| Vapor Pressure:            | Data not available |
| Vapor Density:             | Heavier than air.  |
| Solubility in Water:       | Slightly Soluble   |
| Density:                   | 7.3 lb/gl          |

Evaporation Rate ...... Faster than n-Butyl Acetate. Explosive Limits:



#### SAFETY DATA SHEET

Upper Explosive Limit ....: 36.0
Lower Explosive Limit ....: 2.0
Specific Gravity .....: .87669
PH ....: None known

Volatile (% by Weight).....: 90%

Appearance and Odor ...... Gray/Black liquid, organic solvent odor

Odor Threshold ............: Not applicable Viscosity ...........: Not applicable Partition Coefficient: .....: Data not available Decomposition Temperature ...: Data not available Autoignition temperature ....: Data not available

#### 10. Stability and Reactivity

## Chemical Stability (Conditions to Avoid):

Stable under normal conditions.

## Incompatibility:

Oxidizers, Strong Acids or Alkalies.

## Hazardous Decomposition Products:

Irritating and/or toxic fumes including the following may be released: Carbon, Hydrogen Sulfide, Sulfur oxide, Antimony, or their compounds

#### Hazardous Polymerization:

Will not occur.

## 11. Toxicological Information

# Acute Toxicity Values:

Mixture, see section 3 - Hazardous Ingredients

## Germ Cell Mutagenicity:

None known

# Chronic/Carcinogenicity:

IARC (International Agency for Research of Cancer):
Group 1-Carcinogenic to humans

NTP (National Toxicology Program): None known

# Reproductive Toxicity:

Product contains chemical(s) that may damage fertility or the unborn child

## STOT-single exposure:

May cause drowsiness or dizziness

# STOT-repeated exposure:

None known

# Aspiration Hazard:

May be harmful if swallowed and enters airways

#### Routes of Exposure:

Skin contact, skin absorption, eye contact, inhalation



## 12. Ecological Information

#### Environmental Fate:

Do not allow product or runoff from fire control to enter storm or sanitary sewers, lakes, rivers, streams, or public waterways. Canadian and U.S. regulations require that environmental and/or other agencies be notified of a spill incident. The spill area must be cleaned and restored to the original condition or to the satisfaction of authorities.

## Environmental Toxicity:

Data not available

# Persistence and Degradability:

Data not available

#### Bioaccumulative Potential:

Data not available

# Mobility in Soil

Data not available

#### Other Adverse Effects:

None known

#### 13. Disposal Considerations

## Disposal Methods:

Dispose of contents/container to: A licensed waste disposal facility. Do not attempt to combust waste on-site. Incinerate at a licensed waste disposal site with approval of environment authority.

# 14. Transport Information

Domestic (Land, DOT), International (Water, IMO/IMDG), International (Air, ICAO) Road and Rail (ADR/RID), Air (ICAO/IATA), Vessel (IMO/IMDG):

# UN Number:

UN 1263

## UN Shipping Name:

PAINT RELATED MATERIAL

## Transport Hazard Class:

Class 3



## Packing Group:

Group II

#### **ENVIRONMENTAL HAZARDS:**

#### Marine Pollutant:

None known

#### Special Precautions for User:



None known

# 15. Regulatory Information

#### U.S. Federal Regulations:

#### TSCA:

ALL COMPONENTS OF THIS PRODUCT ARE ON THE TSCA INVENTORY OR ARE EXTINCT FROM REQUIREMENTS

## CERCLA: SARA Hazard Category:

#### Section 313:

IF THIS MATERIAL HAS ANY COMPONENTS THAT ARE REPORTABLE UNDER SARA 313 THEY ARE SHOWN IN THE FOLLOWING LISTING. IF THE LISTING IS BLANK, THERE ARE NO REPORTABLE COMPONENTS.

| COMPONENT         | CAS #      | % BY WT. |
|-------------------|------------|----------|
|                   |            |          |
| ANTIMONY TRIOXIDE | 1309-64-4  | 0% - 5%  |
| ETHYL ACETATE     | 141-78-6   | 0% - 5%  |
| METHYL ALCOHOL    | 67-56-1    | 0% - 5%  |
| LEAD PHOSPHITE    | 12141-20-7 | 0% - 5%  |

## FRANK DODD SECTION 1502:

ALL COMPONENTS OF THIS PRODUCT COMPLY WITH TITLE 15 OF THE US CONSUMER FINANCIAL PROTECTION ACT, DODD-FRANK ACT SECTION 1502 (CONFLICT MINERALS ACT).

## State Regulations:

## California Prop 65:

This product contains a chemical known to the State of California to cause cancer.

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

# International Regulations:

#### WHMIS:

B2, D2A, D2B,

## CEPA (Canadian Environmental Protection Act)

ALL INGREDIENTS ARE CEPA APPROVED FOR IMPORT TO CANADA. THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CONTROLLED PRODUCTS REGULATION (CPR) AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.

# EINECS (European Inventory of Existing Chemical List)

ALL COMPONENTS OF THIS PRODUCT ARE INCLUDED ON THE EUROPEAN INVENTORY OF EXISTING CHEMICALS LIST

#### 16. Other Information

Date of Preparation: 1/21/2020

# KEY/LEGEND

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: International Carriage of Dangerous Goods by Road



# SAFETY DATA SHEET

RID: International Carriage of Dangerous Goods by Rail

CAS: Chemical Abstracts Service

CERCLA: Comprehensive Environmental Response, Compensation, & Liability Act

DOT: Department of Transportation

HMIS: Hazardous Materials Identification System IATA: International Air Transport Association ICAO: International Civil Aviation Organization

IDL: Immediately Dangerous to Life

IMDG: International Maritime Dangerous Goods
IMO: International Maritime Organization

LC: Lethal Concentration

LD: Lethal Dose

NIOSH: National Institute for Occupational Safety & Health

OSHA: Occupational Safety & Health Administration

PPM: Parts Per Million

REL: Recommended Exposure Limit

SARA: Superfund Amendments and Reauthorization Act

STEL: Short-term Exposure Limits

STOT: Specific Target Organ Toxicity

TLV: Threshold Limit Value

TSCA: Toxic Substances Control Act

TWA: Time Weighted Average

VOC: Volatile Organic Compounds

WHMIS: Workplace Hazardous Materials Information System

#### Manufacturer Disclaimer:

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION AND RECOMMENDATION CONTAINED HEREIN IS BELIEVED TO BE ACCURATE AT THE TIME OF PREPARATION OR OBTAINED FROM SOURCES BELIEVED TO BE RELIABLE. HOWEVER, IT IS THE USERS RESPONSIBILITY TO DETERMINE SAFETY, TOXICITY, AND SUITABLITY FOR HIS OWN USE OF THE PRODUCT. EVERLUBE PRODUCTS ASSUMES NO RESPONSIBILITY. THE CUSTOMER OR RECIPIENT OF THIS SDS SHOULD ENSURE THAT THE INFORMATION CONTAINED IN THIS SDS IS MADE AVAILABLE TO ALL EMPLOYEES OR OTHER PERSONS WHOM HE KNOWS OR BELIEVES WILL USE THIS MATERIAL

www.everlubeproducts.com