

1. IDENTIFICATION:

PRODUCT NAME: LUBE-LOK 77S DILUTED HMIS CODES H F R P

PRODUCT CODE: PLL77SD 2*3 0 G

PRODUCT USE .: Low Friction Coating

Manufacturer:

EVERLUBE PRODUCTS 100 COOPER CIRCLE PEACHTREE CITY, GA 30269

EMERGENCY PHONE (24 hours): CHEMTREC - 800-424-9300

INFORMATION PHONE (8:00 a.m - 5:00 p.m EST): (770) 261-4800

NAME OF PREPARER: CHEMICAL COMMUNICATIONS COORDINATOR

DATE PREPARED: 1/22/2020

2. HAZARDS INDENTIFICATION



CLASSIFICATION:

Highly Flammable Liquid and Vapors - Category 2 Serious Eye Damage - Category 1 Skin Corrosion/Irritation - Category 2 Specific target organ toxicity, single exposure - Category 3

SIGNAL WORD:

DANGER

HAZARDS STATEMENTS:

H225-Highly flammable liquid and vapors

H315-Causes skin irritation

H318-Causes serious eye damage.

H335-May cause respiratory irritation

H336-May cause drowsiness or dizziness

PRECAUTIONARY STATEMENTS:

P210-Keep away from heat/sparks/open flames/hot surfaces - No smoking

P242-Use only non-sparking tools.

P280-Wear protective gloves/eye protection/face protection.

P403-P233-Store in well-ventilated place. Keep container tightly closed.

P501-Dispose of contents/container in accordance with

local/regional/national/regulation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS# 78-93-3 70 - 75%

% BY WT.

ACGIH TLV: 200 ppm ACGIH STEL: 300 ppm NIOSH REL: TWA 200 ppm NIOSH REL: TWA 590 mg/m3

METHYL ETHYL KETONE



SAFETY DATA SHEET

```
OSHA PO: TWA 200 ppm
    OSHA PO: TWA 590 mg/m3
    OSHA PO: STEL 300 ppm
    OSHA PO STEL 885 mg/m3
    EC50 ALGAE ?100 mg/l 96 hr
    LD50 ORAL 3400.0 mg/kg (RATS)
    DC50 VAPORS 2000 PPM (RATS)
    LC50 FISH 100 mg/l 96 hr
    EC50 DAPHNIA >100 mg/l 48 hr
                                                       71-36-3 5% - 10%
N-BUTANOL
    ACGIH TWA 20 PPM
    NIOSH REL 50 PPM
    NIOSH REL 150 mg/m3
    OSHA Z1 100 PPM - TWA
    OSHA Z1 300 \text{ mg/m}3
    LC50 INHALATIN 8000ppm (24.24 mg/l) (rat)
    OSHA PO 50 PPM - CEILING
    OSHA P0 150 mg/m3
    LD50 ORGAL 790 mg/kg (rat)
    LC50 INHALATION >8000 PPM (rat)
   LD50 DERMAL 3.430 mg/kg (Rabbit)
   LC50 FISH 1,376 mg/l 96 h
    EC50 AQUATIC INVERTEBRATES 1,328 mg/l 48h
    EC50 ALGAE 225 mg/l 96 h
    NOEC AQUATIC INVERTEBRATES 4.1 mg/l 21d
    EC50 BACTARIA 4,390 mg/l 17h
                                                       123-42-2 5% - 10%
DIACETONE ALCOHOL
    ACGIH TWA: 50 PPM
    OSHA Z1 PEL: 50 PPM
    OSHA Z1 PEL 240 mg/m3
    OSHA PO 50 ppm
    OSHA P0 240 mg/m3
    NOISH REL TWA: 50 ppm
    NOISH REL TWA: 240 mg/m3
    LD50 DERMAL RABBIT: 1875 mg/kg
    LD50 ORAL RAT: 3002 mg/kg
    LC50 INHALATION RAT: >7.6 mg/l 4hr
    LC50 FISH 420 mg/l 96 hr
    EC50 DAPHNIA 9,000 mg/l 24 hr
```

4. First Aid Measures

Eves:

With eyelids open, immediately flush eyes with lots of lukewarm water for at least 30 minutes. Get immediate medical assistance.

Skin:

Wash the skin thoroughly with plenty of water for at least 15 minutes, using a mild and non-abrasive soap. Cold water may be used.

Ingestion:

Never give anything by mouth if the victim is semi-conscious, unconscious, or convulsing.

Inhalation:

Evacuate to fresh air and administer artificial respiration if breathing stopped. Obtain medical aid.

5. Fire Fighting Measures



Flammable Properties:

Flash Point (Degree F) 16F Flash Point Method TCC

Explosive Limits:

Upper explosive limit: 12% Lower explosive limit: 1.7%

Hazardous Combustion Products:

Carbon, Hydrogen Sulfide, Sulfur oxide, or their compounds

Extinguishing Media:

CO2, foam, dry chemical or halon

Firefighting Procedures:

Fire-Fighters should wear self-contained breathing apparatus and full protective equipment.

Extinguish all nearby sources of ignition.

6. Accidental Release Measures

Small Spill:

Eliminate all sources of ignition, provide ventilation, contain spill, and absorb with inert absorbent.

Wear appropriate breathing apparatus (if applicable) and protective clothing.

Use only non-sparking tools and equipment.

Large Spill:

Remove by mechanical means and place in containers.

Use only non-sparking tools and equipment.

Environmental Precautions:

Prevent product or wash waters from entering the water system or sewers.

US regulations require reporting spills of this material that could reach any surface waters. In Canada, report to the applicable provincial environment ministry.

7. Handling and Storage

Handling:

Avoid breathing dust/fume/gas/mist/vapors/spray.

Do not get in eyes, on skin, or on clothing.

Wash contaminated clothing thoroughly after handling.

Wash skin thoroughly (with soap and water) after handling.

Storage:

Store in a cool, dry well ventilated place, away from incompatible materials.

Store in a closed/sealed container.



8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

Mixture, see section 3

Engineering Controls:

General mechanical ventilation or local exhaust should be suitable to keep vapor concentrations below the threshold limit values.

Use explosion-proof electrical/ventilating/lighting equipment.

Prevent the product or the wash waters from entering the water system or sewers.

Personal Protective Equipment:



Respiratory Protection:

In case of inadequate ventilation, wear respirator protection. Use NIOSH/MSHA approved Cartridge Respirator or Mask to keep airborne mists and concentrations below the time weighted threshold limit values.

Skin Protection:

Wear protective gloves (eg Neoprene or Nitrile) for skin protection.

Eye Protection:

Wear eye protection/face protection. Contact lenses should not be worn without goggles.

9. Physical and Chemical Properties

-	
Flammability (solid, gas):	Data not available
Boiling Point:	174 F
Melting Point:	Data not available
VOC:	810 grams/liter
Freezing Point:	Data not available
Flash Point:	16F
Vapor Pressure:	Data not available
Vapor Density:	Heavier than air.
Solubility in Water:	Slightly Soluble
Density:	7.2 lb/gl
Evaporation Rate:	Faster than n-Butyl Acetate.
Explosive Limits:	
Upper Explosive Limit:	12%
Lower Explosive Limit:	1.7%
Specific Gravity:	.86468
PH:	None known
Volatile (% by Weight):	90%
Appearance and Odor:	<pre>Gray/Black liquid, organic solvent odor</pre>
Odor Threshold:	Not applicable
Viscosity:	Not applicable
Partition Coefficient::	Data not available

Decomposition Temperature ...: Data not available Autoignition temperature....: Data not available



10. Stability and Reactivity

Chemical Stability (Conditions to Avoid):

Stable under normal conditions.

Incompatibility:

Oxidizers, Strong Acids or Alkalies.

Hazardous Decomposition Products:

Irritating and/or toxic fumes including the following may be released: Carbon, Hydrogen Sulfide, Sulfur oxide, or their compounds

Hazardous Polymerization:

Will not occur.

11. Toxicological Information

Acute Toxicity Values:

Mixture, see section 3 - Hazardous Ingredients

Germ Cell Mutagenicity:

None known

Chronic/Carcinogenicity:

IARC (International Agency for Research of Cancer):
Group 3-Not classified as a cancer causing agent in humans

NTP (National Toxicology Program): None known

Reproductive Toxicity:

None known

STOT-single exposure:

If inhaled may cause drowsiness or dizziness May cause respiratory irritation

STOT-repeated exposure:

None known

Aspiration Hazard:

None known

Routes of Exposure:

Skin contact, skin absorption, eye contact, inhalation

12. Ecological Information

Environmental Fate:

Do not allow product or runoff from fire control to enter storm or sanitary sewers, lakes, rivers, streams, or public waterways. Canadian and U.S. regulations require that environmental and/or other agencies be notified of a spill incident. The spill area must be cleaned and restored to the original condition or to the satisfaction of authorities.

Environmental Toxicity:

Data not available

Persistence and Degradability:

Data not available



Bioaccumulative Potential:

Data not available

Mobility in Soil

Data not available

Other Adverse Effects:

None known

13. Disposal Considerations

Disposal Methods:

Dispose of contents/container to: A licensed waste disposal facility. Do not attempt to combust waste on-site. Incinerate at a licensed waste disposal site with approval of environment authority.

14. Transport Information

Domestic (Land, DOT), International (Water, IMO/IMDG), International (Air, ICAO) Road and Rail (ADR/RID), Air (ICAO/IATA), Vessel (IMO/IMDG):

UN Number:

UN 1263

UN Shipping Name:

PAINT RELATED MATERIAL

Transport Hazard Class:

Class 3



Packing Group:

Group II

ENVIRONMENTAL HAZARDS:

Marine Pollutant:

None known

Special Precautions for User:

None known

15. Regulatory Information

U.S. Federal Regulations:

TSCA:

ALL COMPONENTS OF THIS PRODUCT ARE ON THE TSCA INVENTORY OR ARE EXTINCT FROM REQUIREMENTS

CERCLA: SARA Hazard Category:

Section 313:

IF THIS MATERIAL HAS ANY COMPONENTS THAT ARE REPORTABLE UNDER SARA 313 THEY ARE SHOWN IN THE FOLLOWING LISTING. IF THE LISTING IS BLANK, THERE



SAFETY DATA SHEET

ARE NO REPORTABLE COMPONENTS.

COMPONENT CAS # % BY WT.

N-BUTANOL 71-36-3 5% - 10% DIACETONE ALCOHOL 123-42-2 5% - 10%

FRANK DODD SECTION 1502:

ALL COMPONENTS OF THIS PRODUCT COMPLY WITH TITLE 15 OF THE US CONSUMER FINANCIAL PROTECTION ACT, DODD-FRANK ACT SECTION 1502 (CONFLICT MINERALS ACT).

State Regulations:

California Prop 65:

None known

International Regulations:

WHMIS Classification:

B2, D2A, D2B,

CEPA (Canadian Environmental Protection Act)

ALL INGREDIENTS ARE CEPA APPROVED FOR IMPORT TO CANADA. THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CONTROLLED PRODUCTS REGULATION (CPR) AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.

EINECS (European Inventory of Existing Chemical List)

ALL COMPONENTS OF THIS PRODUCT ARE INCLUDED ON THE EUROPEAN INVENTORY OF EXISTING CHEMICALS LIST

16. Other Information

DATE OF PREPARATION: 1/22/2020

KEY/LEGEND:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: International Carriage of Dangerous Goods by Road RID: International Carriage of Dangerous Goods by Rail

CAS: Chemical Abstracts Service

CERCLA: Comprehensive Environmental Response, Compensation, & Liability Act

DOT: Department of Transportation

HMIS: Hazardous Materials Identification System IATA: International Air Transport Association ICAO: International Civil Aviation Organization

IDL: Immediately Dangerous to Life

IMDG: International Maritime Dangerous Goods

IMO: International Maritime Organization

LC: Lethal Concentration

LD: Lethal Dose

NIOSH: National Institute for Occupational Safety & Health

OSHA: Occupational Safety & Health Administration

PPM: Parts Per Million

REL: Recommended Exposure Limit

SARA: Superfund Amendments and Reauthorization Act

STEL: Short-term Exposure Limits

STOT: Specific Target Organ Toxicity

TLV: Threshold Limit Value

TSCA: Toxic Substances Control Act

TWA: Time Weighted Average



VOC: Volatile Organic Compounds

WHMIS: Workplace Hazardous Materials Information System

Manufacturer Disclaimer:

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION AND RECOMMENDATION CONTAINED HEREIN IS BELIEVED TO BE ACCURATE AT THE TIME OF PREPARATION OR OBTAINED FROM SOURCES BELIEVED TO BE RELIABLE. HOWEVER, IT IS THE USERS RESPONSIBILITY TO DETERMINE SAFETY, TOXICITY, AND SUITABLITY FOR HIS OWN USE OF THE PRODUCT. EVERLUBE PRODUCTS ASSUMES NO RESPONSIBILITY. THE CUSTOMER OR RECIPIENT OF THIS SDS SHOULD ENSURE THAT THE INFORMATION CONTAINED IN THIS SDS IS MADE AVAILABLE TO ALL EMPLOYEES OR OTHER PERSONS WHOM HE KNOWS OR BELIEVES WILL USE THIS MATERIAL

www.everlubeproducts.com